

**RESTRICTED USE PESTICIDE**

Due to acute oral and inhalation toxicity.

For retail sale and application only by certified applicators or personnel under their direct supervision.

EPA SLN NO.  
OR-830036FOR DISTRIBUTION  
AND USE ONLY IN  
OREGON**Furadan. 4F**  
**Insecticide-Nematicide**

For Agricultural or Commercial Use Only

EPA REG. No. 279-2876 ZA

EMERGENCY CALLS: 800-331-3148

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN  
A MANNER INCONSISTENT WITH ITS LABELING.

CROP	PEST	RATE OF APPLICATION
Nursery Stock (Production for Wholesale)	Root Weevils (Immature Stages)	<u>Container Grown:</u> 1-2 fluid ozs. per 100 gallons of water. <u>Field Grown:</u> 2.5 gallons per treated acre

**DIRECTIONS FOR USE:**

To control root weevils (immature stages), use the following rates of Furadan 4F as a soil application to moist soil:

**Container Production:** Prepare a stock solution using 1-2 fluid ounces of Furadan 4F per 100 gallons of water and apply as a soil drench at the following rates:

<u>Container Size</u>	<u>Amount of Stock Solution Per Container</u>
Less than 1 Gallon	1 Pint
1 Gallon	1 - 2 Pints
2 - 3 Gallons	2 - 4 Pints
5 Gallons	4 - 8 Pints

**Field Production:** Use 2-1/2 gallons of Furadan 4F per treated acre.

Apply as a high volume spray or drench directed to the crown and root area. Use a minimum of 100 gallons spray per acre. Follow with an irrigation immediately after treatment to move spray or drench into the root zone.

CAUTION: Furadan has demonstrated excellent safety in research trials; however, not all species and varieties have been tested. Before treating large numbers of plants of a particular variety, treat a few plants and observe prior to full scale applications. Marginal leaf necrosis may occur in Hydrangea.**RESTRICTIONS:**

Do not reenter treated areas within 48 hours for any activity involving substantial contact with treated plants.

Do not use this product through any type of irrigation system.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO  
BE FOLLOWED.

PERSONAL PROTECTIVE EQUIPMENT AND REENTRY INTERVALS ON THIS 24C OR ON THE BASIC LABEL MUST BE FOLLOWED.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

24(c) Registrant:  
FMC Corporation  
Agricultural Chemical Group  
1735 Market Street  
Philadelphia, PA 19103

OR-830036

Code 279 3/84

**FMC.**Furadan and FMC - FMC Trademarks  
©1991 FMC Corporation